# Lenovo BS145-15IWL

# PERFORMANCE

### **Processor**

### **Processor Family**

Intel® Celeron®, Intel Pentium®, or 8th Generation Intel Core™ i3 / i5 / i7 Processor

#### Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i3-8145U	2	4	2.1GHz	3.9GHz	4MB	DDR4-2400	Intel UHD Graphics
Core i5-8265U	4	8	1.6GHz	3.9GHz	6MB	DDR4-2400	Intel UHD Graphics
Core i7-8565U	4	8	1.8GHz	4.6GHz	8MB	DDR4-2400	Intel UHD Graphics

## **Operating System**

### **Operating System**

- Windows<sup>®</sup> 10 Home 64
- Windows 10 Pro 64
- FreeDOS

### Graphics

#### Graphics

Graphics	Туре	Memory	Key Features	
Intel UHD Graphics	Integrated	Shared	DirectX® 12	
NVIDIA® GeForce® MX110	Discrete	2GB GDDR5	DirectX 12	

## **Monitor Support**

#### **Monitor Support**

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI® (up to 4096x2160@24Hz)

# Chipset

### Chipset

Intel SoC (System on Chip) platform

### Memory

#### **Memory Type**

DDR4-2400

#### **Memory Slots**

One memory soldered to systemboard, one DDR4 SO-DIMM slot

#### Max Memory<sup>[1]</sup>

- Up to 12GB (4GB soldered + 8GB SO-DIMM) DDR4-2400
- Up to 8GB (8GB SO-DIMM) DDR4-2400

Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

### Storage

### Storage Support

Up to two drives, 1x 2.5" HDD + 1x M.2 2242 SSD

- 2.5" HDD up to 2TB
- M.2 2242 SSD up to 512GB

### Storage Type

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-

# Lenovo BS145-15IWL

M.2 2242 SSD PCIe NVMe, PCIe 3.0 x2 -

# **Removable Storage**

### Optical

None

#### Card Reader

4-in-1 card reader (SD, SDHC, SDXC, MMC)

### **Multi-Media**

Audio Chip

High Definition (HD) Audio

#### Speakers

Stereo speakers, 1.5W x2, Dolby<sup>®</sup> Audio™

#### Microphone

Single microphone

Camera

0.3-megapixel, fixed focus

## **Battery**

#### Battery

- Integrated Li-Polymer 30Wh battery
- Integrated Li-Polymer 35Wh battery

#### Max Battery Life<sup>[1]</sup>

- MobileMark<sup>®</sup> 2014: 5.5 hr (30Wh)
- MobileMark 2014: 6 hr (35Wh)

Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, and/or JEITA 2.0 battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

### **Power Adapter**

### **Power Adapter**

- 45W round tip (Wall Mount) AC adapter
- 65W round tip (Wall Mount) AC adapter

# DESIGN

## Display

### Display<sup>[1]</sup>

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
15.6″	FHD (1920x1080)	None	TN	220 nits	Anti- glare	16:9	-	-	-	-
15.6″	HD (1366x768)	None	TN	220 nits	Anti- glare	16:9	-	-	-	-

#### Touchscreen

Non-touch

Notes:

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

<sup>1.</sup> California Electronic Waste Recycling Fee

# Lenovo BS145-15IWL

## **Input Device**

Keyboard 6-row, multimedia Fn keys, numeric keypad Keyboard Backlight Not support Touchpad Buttonless Mylar® surface multi-touch touchpad

# **Mechanical**

Dimensions (WxDxH) 362.2 x 251.5 x 19.9 mm (14.26 x 9.9 x 0.78 inches) Weight

1.85 kg (4.1 lbs)

Case Color

Granite black

Surface Treatment

Texture

Case Material PC + ABS (top), PC + ABS (bottom)

# CONNECTIVITY

### Network

**Onboard Ethernet** 

No Ethernet

WLAN + Bluetooth™

802.11ac 1x1 Wi-Fi + Bluetooth 4.2, M.2 card

### **Ports**<sup>[1]</sup>

### Standard Ports<sup>[2]</sup>

- 2x USB 3.1 Gen 1
- 1x USB 2.0
- 1x card reader
- 1x HDMI 1.4b
- 1x headphone / microphone combo jack (3.5mm)
- 1x power connector

Notes:

- 1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;
  - USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formely USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;
  - USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formely USB 3.1 Gen 2): 10 Gbit/s;
  - USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
  - Thunderbolt™ 3: 40 Gbit/s;

FireWire 400: 400 Mbit/s;

FireWire 800: 800 Mbit/s

2. Depending on many factors, actual data transfer speed may be lower than theoretical speed

# **SECURITY & PRIVACY**

# Security

Security Chip

Firmware TPM 2.0 integrated in chipset **Fingerprint Reader** 

No fingerprint reader

### **BIOS Security**

- Power-on password
- Supervisor password
- Hard disk password

# SERVICE

# Warranty

**Base Warranty** 1-year depot service

# CERTIFICATIONS

## **Green Certifications**

### Green Certifications

- ENERGY STAR<sup>®</sup> 8.0
- ErP Lot 3
- RoHS compliant

PSREF Product Specifications Reference

Lenovo

